

Quote Form



In what type of environment will this door be installed?

- Cold Storage (Refrigeration)
- Cold Storage (Freezer)
- Ambient Temperature

What type of door are you interested in?

- Sliding
- Swinging
- Traffic

What is the temperature inside of the cold storage room?

What is the temperature outside of the cold storage room?

Sliding Doors

Opening Direction

- Left
- Right

Dimensions (INCHES)

Width


Height

Interframe Dimensions

Material Options

- Stainless Steel
- Galvanized Steel (Powder Coated)

Stainless Steel Options



Galvanized Steel Color Options

Light ivory	similar to RAL 1015
Traffic yellow	similar to RAL 1023
Flame red	similar to RAL 3000
Enzian blue	similar to RAL 5010
Light blue	similar to RAL 5012
Pure white	similar to RAL 9010

Anthracite grey	similar to RAL 7016
Light grey	similar to RAL 7035
Creme white	similar to RAL 9001
Grey white	similar to RAL 9002
White aluminium	similar to RAL 9006
Grey aluminium	similar to RAL 9007

On what type of wall will this door be mounted?

- Solid Wall
- Panel Wall

If Panel Wall, please provide thickness of Panel

Is Lock Needed?

- Yes
- No

Door Opening - Automation Options

- Manual (No Automation)
- Electric
- Pneumatic Operator

Extra Control Kit Options

- Pull Cord
- Open & Close Control Kit

Swinging Doors



Location of Hinges

- Left
- Right

Handle Options

- Panic Bar
- Card Reader
- Knob

Stainless Steel Options



Galvanized Steel Color Options

Light ivory	similar to RAL 1015
Traffic yellow	similar to RAL 1023
Flame red	similar to RAL 3000
Enzian blue	similar to RAL 5010
Light blue	similar to RAL 5012
Pure white	similar to RAL 9010

Anthracite grey	similar to RAL 7016
Light grey	similar to RAL 7035
Creme white	similar to RAL 9001
Grey white	similar to RAL 9002
White aluminium	similar to RAL 9006
Grey aluminium	similar to RAL 9007

Window Needed?

- Yes
- No

Window Options (If Needed)

- Acrylic
- Safety Glass - Single Insulated
- Safety Glass - Double Insulated
- Safety Glass - Triple Insulated

How Many Door Panels?

- 1
- 2

Dimensions (INCHES)

Width

Height

Interframe Dimensions

Door Opening - Automation Options

Manual

Pneumatic Operator

Traffic Doors


Material Options

Steel

Galvanized Steel (Powder Coated)

Portylen

Stainless Steel Options



Galvanized Steel Color Options

Light ivory	similar to RAL 1015
Traffic yellow	similar to RAL 1023
Flame red	similar to RAL 3000
Enzian blue	similar to RAL 5010
Light blue	similar to RAL 5012
Pure white	similar to RAL 9010

Anthracite grey	similar to RAL 7016
Light grey	similar to RAL 7035
Creme white	similar to RAL 9001
Grey white	similar to RAL 9002
White aluminium	similar to RAL 9006
Grey aluminium	similar to RAL 9007

Portylen Color Options

Flame red	similar to RAL 3000
Enzian blue	similar to RAL 5010

Pure white	similar to RAL 9010
Telegrey	similar to RAL 7046

On what type of wall will this door be mounted?

Solid Wall

Panel Wall

If Panel Wall, please provide thickness of Panel

Dimensions (INCHES)

Width

Height

Interframe Dimensions

Additional Comments

Please provide any photos or drawings if available.